








# Indicating Lamps 3SB5

## Compact LED indicating lamps

	Voltage	Colour	Type	Std Pkg (nos.)
	24 V AC/DC 50/60 Hz	Red	3SB5285-6HC01	10
		Green	3SB5285-6HE01	10
		Amber	3SB5285-6HL01	10
		Blue	3SB5285-6HF01	10
		White	3SB5285-6HG01	10
		Yellow	3SB5285-6HD01	10
		Clear	3SB5285-6HH01	10
			30V DC ®	Red
Green	3SB5285-6HE13			10
Amber	3SB5285-6HL13			10
Blue	3SB5285-6HF13			10
White	3SB5285-6HG13			10
Yellow	3SB5285-6HD13			10
Clear	3SB5285-6HH13			10
	110 V AC 50/60 Hz			Red
		Green	3SB5285-6HE02	10
		Amber	3SB5285-6HL02	10
		Blue	3SB5285-6HF02	10
		White	3SB5285-6HG02	10
		Yellow	3SB5285-6HD02	10
		Clear	3SB5285-6HH02	10
			110 V DC®	Red
Green	3SB5285-6HE04			10
Amber	3SB5285-6HL04			10
Blue	3SB5285-6HF04			10
White	3SB5285-6HG04			10
Yellow	3SB5285-6HD04			10
Clear	3SB5285-6HH04			10
	220/240 V AC 50/60 Hz			Red
		Green	3SB5285-6HE03	10
		Amber	3SB5285-6HL03	10
		Blue	3SB5285-6HF03	10
		White	3SB5285-6HG03	10
		Yellow	3SB5285-6HD03	10
		Clear	3SB5285-6HH03	10
			220 V DC®	Red
Green	3SB5285-6HE05			10
Amber	3SB5285-6HL05			10
Blue	3SB5285-6HF05			10
White	3SB5285-6HG05			10
Yellow	3SB5285-6HD05			10
Clear	3SB5285-6HH05			10

Now also available in 415V - Prices on request


## Wide band compact LED indicating lamps

	Voltage	Colour	Type	Std Pkg (nos.)
	24 to 240 V AC & 24 to 220 V DC	Red	3SB5235-6HC14	10
		Green	3SB5235-6HE14	10
		Amber	3SB5235-6HL14	10
		Blue	3SB5235-6HF14	10
		White	3SB5235-6HG14	10
		Yellow	3SB5235-6HD14	10
		Clear	3SB5235-6HH14	10

## Modular Indicating Lamps (with plastic front ring) Lens Assembly

	Colour	Type	Std Pkg (nos.)
	Red	3SB5201-6BC00	10
	Green	3SB5201-6BE00	10
	Amber	3SB5201-6BL00	10
	Blue	3SB5201-6BF00	10
	White	3SB5201-6BG00	10
	Yellow	3SB5201-6BD00	10
	Clear	3SB5201-6BH00	10

## Illumination Module <sup>§</sup> - (suitable for INTEGRATED LED lamp)

	Voltage	Colour	Type	Std Pkg (nos.)	
	24 V AC/DC 50/60 Hz	Red	3SB5400-7CC	10	
		Green	3SB5400-7CE	10	
		Amber	3SB5400-7CL	10	
		Blue	3SB5400-7CF	10	
		White†	3SB5400-7CG	10	
		Yellow	3SB5400-7CD	10	
		110 V AC 50/60 Hz	Red	3SB5400-7EC	10
			Green	3SB5400-7EE	10
	Amber		3SB5400-7EL	10	
	Blue		3SB5400-7EF	10	
	White†		3SB5400-7EG	10	
	Yellow		3SB5400-7ED	10	
	110 V DC®		Red	3SB5400-7DC	10
			Green	3SB5400-7DE	10
		Amber	3SB5400-7DL	10	
		Blue	3SB5400-7DF	10	
		White†	3SB5400-7DG	10	
		Yellow	3SB5400-7DD	10	
		230 V AC 50/60 Hz	Red	3SB5400-7TC	10
			Green	3SB5400-7TE	10
	Amber		3SB5400-7TL	10	
	Blue		3SB5400-7TF	10	
	White†		3SB5400-7TG	10	
	Yellow		3SB5400-7TD	10	
	220 V DC®		Red	3SB5400-7HC	10
			Green	3SB5400-7HE	10
		Amber	3SB5400-7HL	10	
		Blue	3SB5400-7HF	10	
		White†	3SB5400-7HG	10	
		Yellow	3SB5400-7HD	10	



@ Use of bridge rectified DC source (filtered O/P) recommended  
 † Can be used with clear lens.  
 § Illumination module can be used with lens assembly, illuminated push buttons & illuminated selector actuators.

# Push buttons

## Modular Push button actuators (with plastic front ring)

Description	Colour	Type
Opaque actuator (with holder for contact block)		
	Normal	Red ■ 3SB5000-0AC01
		Green ■ 3SB5000-0AE01
		Blue ■ 3SB5000-0AF01
		White ■ 3SB5000-0AG01
		Yellow ■ 3SB5000-0AD01
	Raised	Black ■ 3SB5000-0AB01
		Red ■ 3SB5000-0LC01
		Green ■ 3SB5000-0LE01
		Blue ■ 3SB5000-0LF01
		White ■ 3SB5000-0LG01
Illuminated actuator (with holder for contact block)	Normal	Red ■ 3SB5001-0AC01-0PQ0
		Green ■ 3SB5001-0AE01-0PQ0
		Amber ■ 3SB5001-0AL01-0PQ0
		Blue ■ 3SB5001-0AF01-0PQ0
		White ■ 3SB5001-0AG01-0PQ0
	Raised	Yellow ■ 3SB5001-0AD01-0PQ0
		Clear ■ 3SB5001-0AH01-0PQ0
		Red ■ 3SB5218-0LC01-0PQ0
		Green ■ 3SB5218-0LE01-0PQ0
		Amber ■ 3SB5218-0LL01-0PQ0
		Blue ■ 3SB5218-0LF01-0PQ0
		White ■ 3SB5218-0LG01-0PQ0
		Yellow ■ 3SB5218-0LD01-0PQ0
		Clear ■ 3SB5218-0LH01-0PQ0

## Modular Selector Actuators (with plastic front ring)

Description	Colour	Type
2 position opaque selector actuator (with holder for contact block)		
	Maintained	Black ■ 3SB5000-2AB01
		Red ■ 3SB5000-2AC01
	Momentary	Black ■ 3SB5000-2BB01
		Red ■ 3SB5000-2BC01
3 position opaque selector actuator (with holder for contact block)		
	Maintained	Black ■ 3SB5000-2DB01
		Red ■ 3SB5000-2DC01
	Momentary	Black ■ 3SB5000-2EB01
		Red ■ 3SB5000-2EC01
2 position illuminated selector actuator (with holder for contact block)		
	Maintained	Red ■ 3SB5001-2AC01
		Green ■ 3SB5001-2AE01
		Blue ■ 3SB5001-2AF01
		Yellow ■ 3SB5001-2AD01
		Clear ■ 3SB5001-2AH01
	Momentary	Red ■ 3SB5001-2BC01
		Green ■ 3SB5001-2BE01
		Blue ■ 3SB5001-2BF01
		Yellow ■ 3SB5001-2BD01
		Clear ■ 3SB5001-2BH01
3 position illuminated selector actuator (with holder for contact block)		
	Maintained	Red ■ 3SB5001-2DC01
		Green ■ 3SB5001-2DE01
		Blue ■ 3SB5001-2DF01
		Yellow ■ 3SB5001-2DD01
		Clear ■ 3SB5001-2DH01
	Momentary	Red ■ 3SB5001-2EC01
		Green ■ 3SB5001-2EE01
		Blue ■ 3SB5001-2EF01
		Yellow ■ 3SB5001-2ED01
		Clear ■ 3SB5001-2EH01

## Contact Blocks for Push button, Selector & Key Actuators

Description	Configuration	Type	Std Pkg (nos.)
Contact blocks for rear mounting (for panel mounting)			
	1 NO	■ 3SB5400-0B	10
	1NC	■ 3SB5400-0C	10
	1NO + 1 NC	■ 3SB5400-0A	10
	2 NO	■ 3SB5400-0E	10
	2 NC	■ 3SB5400-0F	10

## Mushroom Actuators (with plastic front ring)

Description	Colour	Type	Std Pkg (nos.)
Mushroom actuator (40 mm ø) (with holder for contact block)			
momentary	Black	■ 3SB5000-1NB01	10
	Red	■ 3SB5000-1NC01	10
push to trip, turn to release	Black	■ 3SB5000-1CB01	10

## Mushroom Actuators (with plastic front ring) for Emergency Stop Specifications

NEW Description	Colour	Type	Std Pkg (nos.)
Enhanced Safety and Monitoring with MMCB			
Mushroom Actuator, E-Stop (40mm) with MMCB (1NC)	Red	■ 3SB5204-0UC01	10
MMCB (Mounting Monitoring Contact Block, 1NC)		■ 3SB5400-0M	10

MMCB should be assembled only on middle slot "5-6" of the holder

Description	Colour	Type	Std Pkg (nos.)
Mushroom actuator (40 mm ø) push to trip, turn to release with 1NC	Red	■ 3SB5203-0UC01	10
Mushroom actuator (40 mm ø) push to trip, turn to release	Red	■ 3SB5000-0UC01	10
Mushroom actuator (40 mm ø) push to trip, key to release	Red	■ 3SB5000-0TC01	10

## Modular key actuators (with plastic front ring)

Description	Colour	Type	Std Pkg (nos.)
2 position key actuator (with holder for contact block)			
Maintained		■ 3SB5000-4AC01	10
		■ 3SB5000-4AA01	10
		■ 3SB5000-4AB01	10
Momentary		■ 3SB5000-4TA01	10
		■ 3SB5000-4TC01	10
		■ 3SB5000-4HA01	10
3 position key actuator (with holder for contact block)			
Maintained		■ 3SB5000-4HC01	10
		■ 3SB5000-4HB01	10
		■ 3SB5000-4JA01	10
Momentary		■ 3SB5000-4JA01	10

\* Key removable position

L - Left, R - Right, C - Centre, KL - Key at Left, KR - Key at Right, KC - Key at Centre

## Twin Push Button Actuators

Description	Type	Std Pkg (nos.)
Complete actuator with holder for contact block		
Opaque with 1NO & 1NC	■ 3SB5201-7EC01	10
Illuminated with 1NO & 1NC	■ 3SB5234-7EC01	10
Modular actuator with holder for contact block		
Opaque	■ 3SB5000-7EC01	10
Illuminated	■ 3SB5001-7EC01	10

■ Stock items

## Push button Stations

No. of control points	Description	Type	Std Pkg (nos.)
<b>Metal enclosure: Aluminum Die Cast</b>			
1	Normal opaque push button - Green with 1NO contact block, "START"	■ 3SB5801-8AA3	1
1	Red mushroom momentary actuator, with 1NC contact block, "STOP"	■ 3SB5801-8AN3	1
1	Red maintained mushroom actuator, turn to release, with 1NC contact block, "E-STOP"	■ 3SB5801-8AM3	1
2	Normal opaque push button - Green with 1NO contact block, "START" + Normal opaque push button - Red with 1NC contact block, "STOP"	■ 3SB5802-8AC3	1
2	Normal opaque push button - Green with 1NO contact block, "START" + Red mushroom-maintained with 1NC contact block, "STOP"	■ 3SB5802-8AE3	1
3	Normal opaque push button - Green with 1NO contact block, "START" + Normal opaque push button - Red with 1NC contact block, "STOP" + Normal opaque push button - Black with 1NO contact block, "REVERSE"	■ 3SB5803-8AH3	1
<b>Pendant mounting: Aluminum Die Cast</b>			
2	Normal opaque push button - Green with 1NO contact block, "START" + Normal opaque push button - Red with 1NC contact block, "STOP"	3SB5822-8AC3	1
3	Normal opaque push button - Green with 1NO contact block, "START" + Normal opaque push button - Red with 1NC contact block, "STOP" + Normal opaque push button - Black with 1NO contact block, "REVERSE"	3SB5823-8AH3	1
<b>Plastic Enclosure</b>			
1	Normal opaque push button - Green with 1NO contact block, "START"	3SB5801-7AA3	1
1	Red mushroom momentary actuator, with 1NC contact block, "STOP"	3SB5801-7AN3	1
1	Red maintained mushroom actuator, turn to release, with 1NC contact block, "E-STOP"	3SB5801-7AM3	1
2	Normal opaque push button - Green with 1NO contact block, "START" + Normal opaque push button - Red with 1NC contact block, "STOP"	3SB5802-7AC3	1
2	Normal opaque push button - Green with 1NO contact block, "START" + Red mushroom-maintained with 1NC contact block, "STOP"	3SB5802-7AE3	1
3	Normal opaque push button - Green with 1NO contact block, "START" + Normal opaque push button - Red with 1NC contact block, "STOP" + Normal opaque push button - Black with 1NO contact block, "REVERSE"	3SB5804-7AG3	1
<b>Pendant mounting: Plastic</b>			
1	Normal opaque push button - Green with 1NO contact block, "START"	3SB5821-7AA3	1
2	Normal opaque push button - Green with 1NO contact block, "START" + Normal opaque push button - Red with 1NC contact block, "STOP"	3SB5822-7AC3	1
3	Normal opaque push button - Green with 1NO contact block, "FORWARD" + Normal opaque push button - Red with 1NC contact block, "STOP" + Normal opaque push button - Black with 1NO contact block, "REVERSE"	3SB5823-7AH3	1



### Accessories for push button stations

Description	Type	Std Pkg (nos.)
<b>Plastic Enclosures</b>		
1 way, Grey	3SB5801-0AC3	1
2 way, Grey	3SB5802-0AC3	1
3 way, Grey	3SB5803-0AC3	1
4 way, Grey	3SB5804-0AC3	1
6 way, Grey	3SB5806-0AC3	1
1 way, Yellow	3SB5801-0AD3	1
<b>Metal Enclosures</b>		
1 way	3SB5801-4AC3	1
2 way	3SB5802-4AC3	1
3 way	3SB5803-4AC3	1
<b>Contact Block</b>		
Contact block for base mounting, 1NO	■ 3SB54200B	10
Contact block for base mounting, 1NC	■ 3SB54200C	10
<b>Inscription Labels (set of 11 labels)</b>		
Set of 11 labels: Start, Stop, On, OFF, Up, Down, Open, Close Forward, Reverse, Emergency Off	3SB5901-3EA	10
<b>Blanking plug</b>		
Blanking plug	3SB5912-0BC	10

## Accessories

Description	Type	Std Pkg (nos.)	
Inscription plates	START	■ 3SB5901-2EL	10
	STOP	■ 3SB5901-2EK	10
	ON	■ 3SB5901-2EB	10
	OFF	■ 3SB5901-2EC	10
	UP	3SB5901-2ED	10
	DOWN	3SB5901-2EE	10
	FORWARD	3SB5901-2EF	10
	SLOW	3SB5901-2ES	10
	FAST	3SB5901-2ER	10
	REVERSE	3SB5901-2EG	10
	BLANK	3SB5901-2AA	10
	TRIP	3SB5901-2EA	10
Thrust cap for Push Buttons (for actuating middle module)	■ 3SB5902-0AA	10	
Thrust pad for Selector Actuators (for actuating middle module)	■ 3SB5912-0AN	10	
Adaptor plate for replacing 30 mm PB by 22 mm	■ 3SB5921-0AE	10	
E-stop Yellow dia. 75 mm for Mushroom - Blank (Yellow contrast label)	3SB5921-0AB	10	
E-stop Yellow dia. 75mm with "EMERGENCY STOP" printing	3SB5921-0AD	10	
Protective Cap (IP-67) for	Normal	3SB5902-0AK	10
	Raised	3SB5902-0AN	
Metallic holder for front connection actuators (when used outside 3SB508 stations)	3SB5911-1AA	10	

■ Stock items